




**BREAKKILL'S
ALIEN LAB**



CATALOG 2024

BREAKILL'S ALIEN LAB

Since 2017, Breakill's alien lab has been equipping your atoms with the best complex coils for all budgets!

The new limited edition **HEROES** series offers the highest vaping experience with extremely complex and targeted setups.

The **BULLET** line collects the best all-day alien setups, perfected over 8 years to offer maximum flavor and versatility.

The **CLASSIC** line offers cheaper and easier setups, perfect for first approaches to custom coils.

The fused coils of the **SPOOLS** line, complete the selection, offering the most economical solution for those who prefer to regenerate frequently.

PARTNERSHIP WIRES

The Coils are produced strictly by hand in Italy, from raw materials of certified and reliable companies.

The collaboration with the Italian brands Nembo and Suprema ratio guarantees extraordinary quality and purity that are reflected in the yield and durability of the final product.

All coils are CE/rohs certified, and receive a double ultrasonic washing to ensure maximum cleaning of the product;

The variants are tested on both mechanical and electronic, to ensure long life and high performance.



NEMBO



SUPREMA RATIO

WARNINGS

The product is prohibited to children or persons with reduced physical, sensory or mental abilities. Product dedicated to users with a complete understanding of the operation of rebuildable systems and the limits of their hardware.

The composition of the coils is in Nichrome, the use is forbidden to users intolerant to nickel.

The coils must be mounted only on compatible rebuildable systems, in accordance with the technical specifications of the atomizer and the energy supply system (mod) used. It is recommended to remain in their safety ranges and to use high discharge battery perfectly intact and with certified and reliable hardware.

Use with batteries inadequate to the required energy is prohibited and dangerous.

It is absolutely forbidden to use the product with vaporizers and power supplies not supported or any use for applications differing from those indicated. Inappropriate application, use, and maintenance will void the product warranty terms.



DOMANDE FREQUENTI

CAN I USE THE COILS IN UNREGULATED DEVICES?

Yes, all coils are tested for mech use first. The use of high discharge batteries is mandatory.

I'M NICKEL INTOLERANT, CAN I USE YOUR COILS?

No! the Nichel-Cromo composition can cause irritation in Nickel intolerant individue.

DOES THE COIL PRODUCE LITTLE STEAM, OVERHEAT AND IS VERY SLOW?

It's important to stay as much as possible in the wattages indicated! Complex coils requires more power than a single wire coil, inadequate powers makes the system slow and overheated.

OHM VALUE MUCH LOWER THAN INDICATED

The coil may have hotspots which lower the ohm value and compromises the functionality and security of the system: you must locate and remove them avoiding damaging the wrap:

An accurate tutorial on hotspot care is visible through the QR

WHY DOES THE COIL SPITS JUICE?

Complex coils require much denser wicking than classical coils, otherwise these phenomena occur:

An accurate tutorial on wicking is visible through the QR.



COMPARISON CHART

MTL Ø 2 MM

STEALTH: Most versatile on 2mm, 0,85 Ω.

SURGICAL STRIKE: Dry output, best with NET, 0,75 Ω.

ULTRANANO 2mm: The cheapest on 2mm, 0,75 Ω.

MTL Ø 2,5 MM

PLANCK: The smallest and higher ohms, 1 Ω.

FARADAY: Powerful creamy output, 0,75 Ω.

SUSSKIND: Sharpest flavor at low watts, 0,95 Ω.

RAID: Most versatile on 2,5 mm, 0,85 Ω.

DEFCON ONE: Round flavor at low watts, 0,9 Ω.

SNIPER: Sharpest flavor at higher watts, 0,75 Ω.

DESERT FOG: Dry output, best with NET, 0,85 Ω.

ULTRANANO 2,5mm: The cheapest on 2,5mm, 0,75Ω

RDL~0,4Ω S.C. / 0,2Ω D.C.

WOODLAND: Most aromatic and powerful, 0,38 Ω S.C.

MAXWELL: Sharpest output, 0,4 Ω S.C.

EVERETT: Rounder output, 0,4 Ω S.C.

RECON: Most versatile, 0,4 Ω S.C.

TRIPLE CORE 0,4Ω: the cheapest at 0,4 Ω S.C.

DL~0,3Ω S.C. / 0,15Ω D.C.

TACTICAL: Most aromatic and powerful at 0,25 Ω S.C.

TRIPLE CORE 0,3Ω: The cheapest on Ø2,5, 0,3 Ω. S.C.

DUAL CORE 0,14Ω: The cheapest on Ø3mm, 0,3 Ω. S.C.

DL~0,1 Ω.D.C.

DIRAC: Most aromatic and powerful, Ø3mm, 0,1Ω D.C.

WATSON: Powerful creamy output, Ø3mm, 0,1Ω. D.C.

TURING: Best for RDA 25+mm, Ø3mm, 0,1Ω. D.C.

ASSAULT: Highest reactivity, Ø3mm, 0,11Ω. D.C.

COMMANDO: Sharpest flavor, Ø3mm, 0,11Ω. D.C.

DUAL CORE 0,11Ω: The cheapest on Ø3mm, 0,11Ω. D.C.

SUPER SUB OHM - 21700

SHRAPNEL: More reactivity, Ø3mm, 0,08Ω. D.C.

RAINBOW SIX 2.0: More flavor, Ø3mm, 0,09Ω. D.C

STACKED - SERIES - ELETTRONICO

EINSTEIN: Most aromatic at Ø3,5mm, 0,35Ω D.C.

TOMCAT: Ø3,5mm, 0,34 Ω D.C for RDA 28 + mm

FATMAN: Ø4mm, 0,32 Ω. D.C for RDA 30 + mm

HEROES LIMITED EDITION

A selection of balances and techniques to offer coil at the highest possible level, each model pays tribute to a hero of science.

The heroes are divided according to their complexity, to greater complexity corresponds to a greater rarity.

RARE : Unique balances that integrate the "bullet" line with innovative solutions, available in stores throughout the year.

EPIC : Coil with high complexity and performance both in terms of reactivity, duration and flavor output. The circulation is more limited but still available in stores.

LEGENDARY : extreme coils at highest levels.

The availability of these models is limited to fairs and exclusive Flash sales through groups!

JOIN THE COMMUNITY AND DON'T MISS THE NEXT EXCLUSIVES:

TELEGRAM: <https://t.me/Breakillsgroup>

FB: <https://www.facebook.com/groups/1784836578433151>



RARE MTL

HEROES LIMITED EDITION

HARDWARE COMPATIBILITY:

Any MTL atom that supports \varnothing 2.5mm. Can also be used in mechanical but it is preferable to use an electronic system. Examples: Millenium, Vampire, ByKa.

OUTPUT:

Very smooth and fresh vape, with perfect ramp up even at low watts (12-14). No hit enhancement and Hi-fidelity flavor output.

POSSIBLE MODIFICATION:

Remove half wrap for U-leg setups.

DRYBURN INTERVAL:


4-7 ml with NET, 20-40 ml with synthetic.

TOTAL DURATION:

80-100 ml with NET, 150-200 ml with synthetic.



FLANCK MTL ALIEN



Φ : 2,5 MM

Ω : 1,05 S.C.

LEG:

W: 12-17 S.C.

WRAP: COUNTERCLOCKWISE

RARE MTL

HEROES LIMITED EDITION

HARDWARE COMPATIBILITY:

Any MTL atom that supports 2.5mm. Excellent mechanical reactivity and small size make it suitable for small decks. Examples: Bishop, Vampire, ByKa.

OUTPUT:

Powerful and fast ramp up, hit increased. Core and tail notes emphasized with union of the flavors.

POSSIBLE MODIFICATION:

Per setup U-leg: mezza spira in meno in meccanico, mezza in più in elettronico.

DRYBURN INTERVAL:

4-8 ml with NET, 25-50 ml with synthetic.

TOTAL DURATION:

80-120 ml with NET, 150-250 ml with synthetic.

FARADAY STITCHED ALIEN



Φ: 2,5 MM

Ω: 0,75 S.C.

LEG: 

W: 16-19 S.C.

WRAP: COUNTERCLOCKWISE ↺

RARE RDL

HEROES LIMITED EDITION

HARDWARE COMPATIBILITY:

Small RDL single coil atomizers, RBA too. Atom RDL Dual coil up to 22mm with small deck and restricted airflow.

For both mech and regulated mods.

Examples: M-atty, Armor, Stubby RDTA

OUTPUT:

Fast ramp up and fresh steam with dense and round flavor.

POSSIBLE MODIFICATION:

Remove half wrap for plain leg setups; remove one wrap for mech mods use.

DRYBURN INTERVAL:

15-30 ml depending on juice.

TOTAL DURATION:

200-300 ml depending on juice.

EVERETT MULTICORE ALIEN



Φ : 2,5 MM

Ω : 0,4 S.C. / 0,2 D.C.

LEG: 

W: 25-40 W S.C. / 50-80 W D.C.

WRAP: CLOCKWISE 

EPIC MTL

HEROES LIMITED EDITION

HARDWARE COMPATIBILITY:

Any MTL atom that supports \varnothing 2.5mm. Can also be used in mechanical but it is preferable to use an electronic system. Examples: Millenium, Vampire, ByKa.

OUTPUT:

Smooth erogation with gentle ramp up. High separation of aromatic notes and preservation of peak notes. Perfect for mixtures and flavored NET.

POSSIBLE MODIFICATION:

Remove half wrap for U-leg setup.

DRYBURN INTERVAL:

4-8 ml with NET, 25-50 ml with synthetic.

TOTAL DURATION:

80-120 ml with NET, 150-250 ml with synthetic

SUSSKIND MULTICORE ALIEN



\varnothing : 2,5 MM

Ω : 0,95 S.C.

LEG:

W: 14-18 S.C.

WRAP: COUNTERCLOCKWISE ↺

EPIC RDL

HEROES LIMITED EDITION

HARDWARE COMPATIBILITY:

Small RDL single coil atomizers, RBA too.
Atom RDL Dual coil up to 22mm with small deck and restricted airflow.

For both mech and regulated mods.

Examples: M-atty, Armor, Stubby RDTA

OUTPUT:

Fast ramp up and warm steam, dense flavor and excellent separation of aromatic notes.

POSSIBLE MODIFICATION:

Remove half wrap for plain leg setups;
remove one wrap for mech mods use.


DRYBURN INTERVAL:

15-30 ml depending on juice.

TOTAL DURATION:

200-300 ml depending on juice.

MAXWELL INTERLOCK FRALIEN



Φ : 2,5 MM

Ω : 0,4 S.C. / 0,2 D.C.

LEG: 

W: 25-40 W S.C. / 50-80 W D.C.

WRAP: CLOCKWISE 

EPIC DL

HEROES LIMITED EDITION

HARDWARE COMPATIBILITY:

Dual coil atomizers with large deck and open airflow 25-28 mm, for mechanical and electronic. Ideal for balancing large atoms with single battery setup.

Ex.: Goon 25, Dead rabbit, Nightmare 28

OUTPUT:

Gradual ramp up that preserves the top notes, extraordinary steam production with intense and sharp flavor, excellent separation of aromatic notes.

POSSIBLE MODIFICATION:

None.

DRYBURN INTERVAL:

20-30 ml depending on juice.

TOTAL DURATION:

350-500 ml depending on juice.

TURING ALIEN ENIGMA



Φ: 3 MM

Ω: 0,1 D.C.

LEG: 

W: 115-135 W D.C.

WRAP:

CLOCKWISE 

EPIC DL

HEROES LIMITED EDITION

HARDWARE COMPATIBILITY:

28-30 mm atomizers with very open airflow. For use in series or electronic. Ideal both in mechanical series or stacked, that in electronic to moderate the extraordinary power.

Examples: Nightmare 28, valhalla 30

OUTPUT:

Very high power with complete aromatic response, incomparable both with creamy and fruity liquids.

POSSIBLE MODIFICATION:

None.

DRYBURN INTERVAL:

30-50 ml depending on juice.

TOTAL DURATION:

500+ ml depending on juice.

EINSTEIN BIGASS FRALLEN



Φ : 3,5 MM

Ω : 0,35 S.C.

LEG: 

W: 150-180 D.C.

WRAP: CLOCKWISE 

LEGENDARY RDL

HEROES LIMITED EDITION

HARDWARE COMPATIBILITY:

Small RDL single coil atomizers, RBA too.
Atom RDL Dual coil up to 22mm with small deck and restricted airflow.

For both mech and regulated mods.

Examples: M-atty, Armor, Stubby RDTA

OUTPUT:

Powerful erogation and fast ramp up,
dense and defined flavor while keeping
the steam cool, suitable for all liquids.

POSSIBLE MODIFICATION:

Add half wrap on plain leg setups.

DRYBURN INTERVAL:

15-30 ml a depending on juice.

TOTAL DURATION:

200-350 ml depending on juice.

WOODLAND HALF PITCHFORK



Φ: 2,5 MM

Ω: 0,35 S.C. / 0,17 D.C.

LEG: 

W: 30-40 W S.C. / 50-90 W D.C.

WRAP: CLOCKWISE 

LEGENDARY DL

HEROES LIMITED EDITION

HARDWARE COMPATIBILITY:

24-25mm atom dual coil and open airflow for both electronic and mechanical mods, even in single battery.

Examples: Kennedy, Goon 24, Osiris 25, Dead rabbit

OUTPUT:

Powerful erogation and immediate ramp up, round flavor with emphasis on core notes, ideal for creamy liquids.

POSSIBLE MODIFICATION:

None.

DRYBURN INTERVAL:

30-50 ml depending on juice.

TOTAL DURATION:

400+ ml depending on juice.

WATSON HELIX



Φ: 3 MM

Ω: 0,1 S.C.

LEG: 

W: 115-135 D.C.

WRAP: CLOCKWISE 

LEGENDARY DL

HEROES LIMITED EDITION

HARDWARE COMPATIBILITY:

24-25mm atom dual coil and open airflow for both electronic and mechanical mods, even in single battery.

Examples: Goon 24-25, Kennedy, Dead Rabbit.

OUTPUT:

Powerful erogation and fast ramp up, dense and defined flavor with excellent separation of aromatic notes. ideal with all liquids.

POSSIBLE MODIFICATION:

None.


DRYBURN INTERVAL:

30-50 ml depending on juice.

TOTAL DURATION:

500+ ml a depending on juice.

DIRAC DOUBLE FUSION



Φ : 3 MM

Ω : 0,1 S.C.

LEG: 

W: 115-135 D.C.

WRAP: CLOCKWISE 




BREAKILL'S BULLETS

Bullet line is the result of almost 10 years of evolution of the most popular models: a complete selection covering from the tightest MTL to the most extreme cloud chasing setups.

Vaping market is constantly evolving, this selection gives the best compatibility and very high performances thanks to the accurate balance between wrap and core composition. Every coil is designed to work perfectly till the last draw at the end of the battery in mech mod.



MTL BF ALIEN STEALTH TRIPLE CORE



Φ : 2 MM

Ω : 0,8 - 0,9 S.C.

LEG:  ∞

W: 16-18 S.C.

WRAP: CLOCKWISE 

HARDWARE COMPATIBILITY:

Best used in the smallest MTL atomizers such as BF or 18 mm, or anywhere \varnothing 2mm is necessary to avoid overheating. Suitable both for electronic and unregulated.

Es.: Millennium, Dotaio, Speed, Strike, 900

OUTPUT:

Smooth erogation, accurate and linear flavor output. For all juices.

POSSIBLE MODIFICATION:

Remove half wrap for plain leg setups.


DRYBURN INTERVAL:

4-8 ml with NET, 20-40 ml with synthetics.

TOTAL DURATION:

80-120 ml with NET, 150-200 ml with synthetics.

MTL BF ALIEN SURGICAL STRIKE STAPLED



Φ: 2 MM

Ω: 0,75 S.C.

LEG: 

W: 16-18 S.C.

WRAP: CLOCKWISE 

HARDWARE COMPATIBILITY:

Best used in the smallest MTL atomizers such as BF or 18 mm, or anywhere \varnothing 2mm is necessary to avoid overheating. Suitable both for electronic and unregulated.

Es.: Millenium, Dotaio, Speed, Strike, 900

OUTPUT:

Fast ramp up, sharp and dry flavor output. Best for NET and to emphasize top notes.

POSSIBLE MODIFICATION:

Remove half wrap for plain leg setups.

DRYBURN INTERVAL:

3-8 ml with NET, 20-40 ml with synthetics.

TOTAL DURATION:

80-100 ml with NET, 150-200 ml with synthetics.

MTL TANK ALIEN DEFCON ONE ULTRANANO



Φ : 2,5 MM Ω : 0,95 S.C.

LEG:  W: 16-18 S.C.

WRAP: COUNTER CLOCKWISE ↺

HARDWARE COMPATIBILITY:

Any MTL RTA/RBA compatible with \emptyset 2,5 mm ID.

Best used in regulated mods, can be also used in unregulated
Es.: Millenium, Bishop, FEV

OUTPUT:

Smooth erogation, round and unified flavor output. Good versatility, emphasize the core and tail notes, best with sweet juices.

POSSIBLE MODIFICATION:

Remove half wrap to fit U-leg setups.


DRYBURN INTERVAL:

4-10 ml with NET, 25-60 ml with synthetics.

TOTAL DURATION:

80-120 ml with NET, 160-300 ml with synthetics.

MTL TANK ALIEN RAID TRIPLE CORE



Φ : 2,5 MM Ω : 0,85 S.C.

LEG:  W: 16-18 S.C.

WRAP: COUNTER CLOCKWISE ↺

HARDWARE COMPATIBILITY:

Any MTL RTA/RBA compatible with \varnothing 2,5 mm ID, both in unregulated and electronic mods
Es.: FeV, Bishop, Vampire

OUTPUT:

Smooth erogation, accurate and linear flavor output. For all juices.

POSSIBLE MODIFICATION:

Remove half wrap to fit U-leg setups.

DRYBURN INTERVAL:

4-10 ml with NET, 25-60 ml with synthetics.

TOTAL DURATION:

80-120 ml with NET, 160-300 ml with synthetics.

MTL TANK ALIEN DESERT FOG STAPLED



Φ : 2,5 MM Ω : 0,85 S.C.

LEG:  W: 16-18 S.C.

WRAP: COUNTER CLOCKWISE ↺

HARDWARE COMPATIBILITY:

Any MTL RTA/RBA compatible with \emptyset 2,5 mm ID, both in unregulated and electronic mods
Es.: FeV, Bishop, 415.

OUTPUT:

Smooth ramp up with sharp and dry flavor output.
Best for NET and to emphasize top notes.

POSSIBLE MODIFICATION:

Remove half wrap to fit U-leg setups.
remove one wrap to increase reactivity and reduce sweetness.


DRYBURN INTERVAL:

3-8 ml with NET, 20-50 ml with synthetics.

TOTAL DURATION:

80-100 ml with NET, 150-300 ml with synthetics.

MTL TANK ALIEN SNIPER MULTICORE



Φ : 2,5 MM Ω : 0,75 S.C.

LEG:  W: 17-19 S.C.

WRAP: COUNTER CLOCKWISE ↺

HARDWARE COMPATIBILITY:

Any MTL RTA/RBA compatible with \varnothing 2,5 mm ID.

Offers the best reactivity in unregulated mods but can be used in electronic devices too.

Es.: FeV, Bishop, Vampire

OUTPUT:

Fast and powerful output with good separation with equal emphasis on top, core and tail notes.

POSSIBLE MODIFICATION:

Add half wrap to fit U-leg setups.

DRYBURN INTERVAL:

5-10 ml with NET, 25-60 ml with synthetics.

TOTAL DURATION:

80-120 ml with NET, 160-300 ml with synthetics.

RESTRICTED DL ALIEN RECON STAPLED



Φ : 2,5 MM Ω : 0,4 S.C. / 0,2 D.C.

LEG:  W: 35-45 S.C. / 68-85 D.C.

WRAP: CLOCKWISE 

HARDWARE COMPATIBILITY:

Small RDL single coil atomizers, RBA too.
Atom RDL Dual coil up to 22mm with small
deck and restricted airflow.

For both mech and regulated mods.

Es.: M-Atty, Armor, Integra RTA

OUTPUT:

Fast Ramp up, very good flavor separation
with some top notes emphasis.

Best versaitlity.

POSSIBLE MODIFICATION:

Remove half wrap for plain leg setups;
remove one wrap for mech mods use.

DRYBURN INTERVAL:

15-25 ml a depending on juice.

TOTAL DURATION:

150-250 ml a depending on juice.

RESTRICTED DL ALIEN TACTICAL MULTICORE



Φ : 2,5 MM Ω : 0,25 S.C. / 0,12 D.C.

LEG:  W: 45-60 S.C. / 95-120 D.C.

WRAP: CLOCKWISE 

COMPATIBILITA' HARDWARE:

Can fit RDL single coil atomizers with moderately open airflow, up to small Dual coil DL RDA/RTA for a cloud chasing setup
Can be used efficiently both in Regulated and unregulated mods.

Es.: Hadaly, Goon 22-24, Kaizen, Osiris.

OUTPUT:

Powerful and efficient reactivity, ideal with all juices depending on airflow balance.

POSSIBLE MODIFICATION:

Remove half wrap to fit plain leg setups.


DRYBURN INTERVAL:

15-30 ml depending on juice.

TOTAL DURATION:

150-300 ml depending on juice.

OPEN DL ALIEN ASSAULT TRIPLE CORE



Φ : 3 MM

Ω : 0,11 D.C.

LEG: 

W: 120-150 D.C.

WRAP: CLOCKWISE 

HARDWARE COMPATIBILITY:

Cloud chasing's golden standard: fits a wide selection of RDA/RTA with an open airflow. Performs perfectly in mech even at the end of battery charge.

Es.: Goon 24-25, Dead Rabbit, Kennedy.

OUTPUT:

Powerful yet linear erogation, ideal for all liquids depending on the airflow used. Extremely versatile.

POSSIBLE MODIFICATION:

Remove one wrap to increase pwer and reactivity in mechanical mods.


DRYBURN INTERVAL:

20-30 ml depending on juice.

TOTAL DURATION:

200-350 ml depending on juice.

OPEN DL ALIEN COMMANDO FRALIEN



Φ : 3 MM

Ω : 0,11 D.C.

LEG:

W: 120-150 D.C.

WRAP: CLOCKWISE 

HARDWARE COMPATIBILITY:

Fits a wide selection of RDA/RTA with an open airflow.

Performs perfectly in mech but can be overpowered in electronic to increase vapor production.

Es.: Goon 24-25, Dead Rabbit, Kennedy.

OUTPUT:

Powerful and dense erogation with gradual ramp up that preserves top notes. Excellent flavor separation.

POSSIBLE MODIFICATION:

Remove one wrap to increase pwer and reactivity in mechanical mods.


DRYBURN INTERVAL:

25-30 ml depending on juice.

TOTAL DURATION:

250-400 ml depending on juice.

SUPER SUB OHM DL ALIEN SHRAPNEL PENTACORE



Φ : 3 MM

Ω : 0,08 D.C.

LEG:

W: 160-200 D.C.

WRAP: CLOCKWISE 

HARDWARE COMPATIBILITY:

Fits a wide selection of RDA/RTA 24-28 mm with wide open airflow.

WARNING! VERY LOW OHM VALUE! USE ONLY WITH 21700 CELLS OR PARALLEL DUAL BATTERY MODS!

Es.: Goon 24-25, Dead Rabbit, Nightmare 28.

OUTPUT:

Immediate ramp up, powerful and explosive erogation with round flavor output, ideal with creamy and nutty juices.

POSSIBLE MODIFICATION:

None.


DRYBURN INTERVAL:

25-30 ml depending on juice.

TOTAL DURATION:

250-400 ml depending on juice.

SUPER SUB OHM DL ALIEN RAINBOW SIX MULTICORE V2



Φ : 3 MM

Ω : 0,09 D.C.

LEG:

W: 140-180 D.C.

WRAP: CLOCKWISE 

HARDWARE COMPATIBILITY:

Fits a wide selection of RDA/RTA 24-28 mm with wide open airflow.

WARNING! VERY LOW OHM VALUE! USE ONLY WITH 21700 CELLS OR PARALLEL DUAL BATTERY MODS!

Es.: Goon 24-25, Dead Rabbit, Nightmare 28.

OUTPUT:

Immediate ramp up, powerful but gradual erogation with sharper flavor output that preserves the top notes.

POSSIBLE MODIFICATION:

None.

DRYBURN INTERVAL:

25-30 ml depending on juice.

TOTAL DURATION:

250-400 ml depending on juice.

STACKED/SERIES/ELECTRONIC FATMAN BIGASS TRICORE



Φ : 4 MM

Ω : 0,32 D.C.

LEG: 

W: 160-200 D.C.

WRAP: CLOCKWISE 

HARDWARE COMPATIBILITY:

Suitable only on biggest RDA/RTA 28 + mm fitting 4mm ID and with wide open airflow. Can be used in staked/series mech mods or in regulated devices.

Es.: Elite v2, Asgard.

OUTPUT:

Max power and steam production, with excellent separation and preservation of all flavor notes.

POSSIBLE MODIFICATION:

None.

DRYBURN INTERVAL:

40-50 ml depending on juice.

TOTAL DURATION:

400-750 ml depending on juice.

STACKED/SERIES/ELECTRONIC TOMCAT BIGASS



Φ : 3,5 MM

Ω : 0,34 D.C.

LEG: 

W: 160-200 D.C.

WRAP: CLOCKWISE 

HARDWARE COMPATIBILITY:

Ideal in 28 + mm RDA but can fit some 25mm RDA fitting 3,5mm ID, with wide open airflow.

Can be used in staked/series mech mods or in regulated devices.

Es.: Valhalla 30, Elite v2, Asgard.

OUTPUT:

Max power and steam production, round output.

Ideal for staked mech mods with creamy/nutty juices.

POSSIBLE MODIFICATION:

None.

DRYBURN INTERVAL:

40-50 ml depending on juice.

TOTAL DURATION:

400-700 ml depending on juice.




BREAKILL'S CLASSIC

Breakill's classic selection collects the most popular low-cost models of the previous catalogues, and offers a convenient entry point for those who approach the world of custom coils for the first time. These models are experimentend and consolidated over 8 years of work, renowned for their duration and convenience.

Classic coil selection is less complex in design and performance than **Bullet** line coils, but also requires less experience in mounting, wicking and mantainance and at lower costs.





MTL BF ALIEN - CLASSIC ULTRANANO ALIEN 2MM

Φ : 2 MM Ω : 0,75 S.C.

LEG:  W: 16-18 S.C.

WRAP: CLOCKWISE ↻

COMPATIBILITY: MTL BF RDA, RTA, BORO Tank

DRYBURN: 3-8 ml with NET, 20-40 ml with synthetics.

DURATION: 70-90 ml with NET, 130-180 ml with synthetics.



MTL TANK ALIEN - CLASSIC ULTRANANO ALIEN 2,5MM

Φ : 2,5 MM Ω : 0,75 S.C.


LEG:  W: 16-18 S.C.

WRAP: COUNTER CLOCKWISE ↺

COMPATIBILITY: MTL RTA, alcuni BORO Tank

DRYBURN: 4-10 ml with NET, 25-50 ml with synthetics.

DURATION: 80-100 ml with NET, 150-200 ml with synthetics.



FLAVOUR ALIEN - CLASSIC TRIPLE CORE 0,4 Ω

Φ : 2,5 MM Ω : 0,4 S.C. / 0,2 D.C.


LEG:  W: 30-45 S.C. / 50-75 D.C.

WRAP: CLOCKWISE \curvearrowright

COMPATIBILITY: RDL RDA/RTA single/dual coil, some RBA.


DRYBURN: 15-25 ml depending on juice.

DURATION: 150-250 ml depending on juice.



FLAVOUR ALIEN - CLASSIC TRIPLE CORE 0,3 Ω

Φ : 2,5 MM Ω : 0,3 S.C. / 0,14 D.C.

LEG:  W: 45-60 S.C. / 95-120 D.C.

WRAP: CLOCKWISE \curvearrowright

COMPATIBILITY: RTA/RDA RDL single coil, DL dual coil

DRYBURN: 20-25 ml depending on juice.

DURATION: 150-300 ml depending on juice.



CLOUD ALIEN - CLASSIC DUAL CORE 0,14 Ω

Φ: 3 MM Ω: 0,3 S.C. / 0,14 D.C.


LEG:  W: 50-70 S.C. / 85-100 D.C.

WRAP: CLOCKWISE ⚙

COMPATIBILITY: RTA/RDA RDL single coil, DL dual coil 22+mm

DRYBURN: 20-30 ml depending on juice.

DURATION: 200-350 ml depending on juice.



CLOUD ALIEN - CLASSIC DUAL CORE 0,11 Ω

Φ: 3 MM Ω: 0,11 D.C.

LEG:  W: 90-120 D.C.

WRAP: CLOCKWISE ⚙

COMPATIBILITY: Open DL RDA/RTA dual coil, 24+ mm.

DRYBURN: 25-30 ml depending on juice.

DURATION: 200-400 ml depending on juice.



BREAKILL'S SPOOLS



The line **Breakill's spools** in collaboration with Suprema Ratio offers a convenient alternative to premade coil.

Made with best technologies and materials, handwrapped on the spool to reduce the stress to minimum; They also get the same double ultrasound cleaning process of the coil, to give the best quality, duration and performance.

WHAT IS THE DIFFERENCE BETWEEN SPOOLS AND PREMADE ALIEN?

The Fused clapton is the easiest complex coil concept: duration and flavor output are usually less than the alien coils concept, but the convenient 2mt spool format gives the chance to change the coil more frequently:

A fresh fused clapton coil, can work better than an alien clapton vaped for more than 60 ml!

HOW CAN I BUILD THE COIL? HOW MANY WRAPS AND WICH SUPPORT?

To solve any doubt, with the coils you will get a chart where you find the most popular and easy setups to obtain with every spool, including ohm, ID and wrap numbers.

You can also use the linear resistivity indicated on the packaging to preview the final ohms.

MTL FUSED SPOOL

DESCRIPTION:

The fused spool MTL represents the best entry point for who wants to build his own mtl coil. Offers the best reactivity and thanks to the very small wire composition it's possible to explore many different setups, both for mech mods and electronic regulated mods.



SINGLE COIL SUGGESTED SETUPS:

Spire/punta	Ø 2 mm	Ø 2,5 mm
5	0,65 Ω	0,73 Ω
6	0,73 Ω	0,88 Ω
7	0,86 Ω	1,05 Ω

2mt Dual core fused clapton NC80

LINEAR RESISTIVITY: 13,4 Ω/mt

COMPATIBILITY: All MTL setups, BF, RTA and RDTA, BORO RBA, Dotaio RBA.

MTL PRO FUSED SPOOL

DESCRIPTION:

The fused spool MTL PRO offers generally sharper flavor and more duration but less reactivity and wider surface.

Compared to MTL spool is more versatile on juice type, thanks to a delicate ramp-up but less versatile on deck selection: some setups with many wraps might not be the best for the smallest atomizers.



SINGLE COIL SUGGESTED SETUPS:

Spire/punta	Ø 2 mm	Ø 2,5 mm
5	0,67 Ω	0,77 Ω
6	0,75 Ω	0,90 Ω
7	0,88 Ω	1,00 Ω

2mt Dual core fused clapton NC80

LINEAR RESISTIVITY: 14,2 Ω/mt

COMPATIBILITY: All MTL setups, BF, RTA and RDTA, BORO RBA, Dotaio RBA.

PLANCK FUSED SPOOL

DESCRIPTION:

Planck spool MTL Brings slow vape revolution into custom coils world, with the convenience of the spool format.

Any coil made can fit every MTL atomizer on the market, even the smallest 14mm RDA.

The obtainable setups are made for low watts vaping, and they are extremely efficient even from 10 watt, reducing hit and juice and battery consumption

SINGLE COIL SUGGESTED SETUPS:

Spire/punta	Ø 2 mm	Ø 2,5 mm
5	0,9 Ω	1,05 Ω
6	1,05 Ω	1,2 Ω



2mt triple core fused clapton NC80

LINEAR RESISTIVITY: 18,1 Ω/mt

COMPATIBILITY: All MTL setups, BF, RTA and RDTA, BORO RBA, Dotaio RBA.

FLAVOUR FUSED SPOOL

CARATTERISTICHE:

The fused spool FLAVOUR fits almost all RDL setup, single and dual coil, best on most restricted DL. It is possible to build also Bigass fused for series battery or regulated mods.

SINGLE COIL SUGGESTED SETUPS:


Spire/punta	Ø 2,5 mm	Ø 3 mm
4	0,35 Ω	0,40 Ω
5	0,40 Ω	0,45 Ω

DUAL COIL SUGGESTED SETUPS:

Spire/punta	Ø 2,5 mm	Ø 3 mm
4	0,17 Ω	0,20 Ω
5	0,20 Ω	0,23 Ω

BIGASS DUAL COIL SUGGESTED SETUPS:

Spire/punta	Ø 3,5 mm	Ø 4 mm
7	0,33 Ω	0,36 Ω
8	0,36 Ω	0,40 Ω



2mt Triple core fused clapton NC80

LINEAR RESISTIVITY: 5,7 Ω/mt

COMPATIBILITY: Restricted DL single and dual coil, RTA, RDA, some BORO RBA.
Bigass coil for stacked/electronic.

DL FUSED SPOOL

DESCRIPTION:

The fused spool FLAVOUR fits almost all DL setup, from single coil RDL to dual coil DL. It is possible to build also Bigass fused for seriesbattery or regulated mods.

SINGLE COIL SUGGESTED SETUPS:

Spire/punta	Ø 2,5 mm	Ø 3 mm
4	0,25 Ω	0,30 Ω
5	0,32 Ω	0,35 Ω

DUAL COIL SUGGESTED SETUPS:

Spire/punta	Ø 2,5 mm	Ø 3 mm
4	0,12 Ω	0,14 Ω
5	0,14 Ω	0,17 Ω

BIGASS DUAL COIL SUGGESTED SETUPS:

Spire/punta	Ø 3,5 mm	Ø 4 mm
7	0,26 Ω	0,29 Ω
8	0,29 Ω	0,32 Ω



2mt Triple core fused clapton NC80

LINEAR RESISTIVITY: 4,5 Ω/mt

COMPATIBILITY: DL single and dual coil,
RTA/RDA.
Bigass coil for stacked/electronic.

DL PRO FUSED SPOOL

DESCRIPTION:

The fused spool DL PRO is dedicated to DL setup, mostly dual coil or wide open single coil. Offers intermediate values between FLAVOUR and CLOUD spool.

It is possible to obtain also extreme setups suitable only with regulated mods, dual cell, or 21700 cells*.

SINGLE COIL SUGGESTED SETUPS:

Spire/punta	Ø 3 mm	-
4	0,23 Ω	-
5	0,27 Ω	-

DUAL COIL SUGGESTED SETUPS:

Spire/punta	Ø 3 mm	Ø 3,5 mm
4	0,09 Ω*	0,11 Ω
5	0,11 Ω	0,13 Ω



2mt Multicore fused claptan NC80

LINEAR RESISTIVITY: 3,4 Ω/mt

COMPATIBILITY: Open DL single and dual coil, RTA, RDA.

COLLABORATIONS



O X Y G E N E

Coil ufficiali per
Vampire ed Epos:
oxygenemods.com



Coil ufficiali Vaper's
mood disponibili solo
presso shop autorizzati



ITALIA

Coil ottimizzate per i
tank Kayfuns:
svoemestoitalia.it



Coil ufficiali per gli
atomizzatori SVT:
swissvapetechnology.ch



The GG

Coil ottimizzate per gli
atomizzatori Golden greek:
bitfumo.it



THE Vaping
GENTLEMEN
CLUB

Coil ufficiali per atomizzatori
di The vaping gentlemen club:
thevapinggentlemen.club



Coil ufficiali Pipeline:
www.pipeline-store.com



Coil ufficiali dedicate ai
liquidi italiani di Azhad elixirs:
azhadelixirs.it



Per info e prenotazioni:

E-mail: info@breakill.com | Gruppo Facebook: Breakill's Alien Lab

Breakill's Alien Lab di Isaac Grillo | P. IVA 04867910269 | C.F. GRLSCI85S19F205S

Via Frassinelli, 40 | 31029 Vittorio Veneto (TV)

breakill.com